ELSEVIER

Journal of Materials Processing Technology 147 (2004) 405–406

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 147

Abdollah-Zadeh, A., 385
Akkurt, A., 389
Alsamhan, A., 1
Al-Samhan, A.M., 51
Arif, A.F.M., 255
Asgari, S., 343

Bachir Bouiadjra, F.S., 23
Bachir Bouiadjra, N., 23
Ballal, N.B., 131
Basu, R.N., 85
Bauckhage, K., 174
Bayley, C.J., 28
Bayraktar, E., 145, 155
Benamara, Z., 23
Benito, R., 204
Bergheau, J.-M., 277
Bernhart, G., 359
Bhattacharyya, B., 241
Bouvard, D., 72
Boyadjiev, I.I., 268, 370
Boyd, T., 204

Cai, Q., 90
Chen, C.C., 121
Chen, Y., 167
Chen, Z.H., 286
Chowdhuri, S., 131

Dahlman, P., 181
Darwish, S.M., 51
Date, P.P., 321
Delgado, A., 204
Desheng, S., 229
Di Marcello, E., 72
Du, Y., 328

El-Sayed, J., 79
Ercan, F., 389

Frutiger, R., 79
Fu, Y., 229

Ganeshmurthy, N., 121
Gany, A., 197
Garat, V., 359
Gavgali, M., 60
Grandhi, R.V., 217
Grum, J., 351
Guan, Q., 328
Gunnberg, F., 181
Guo, D., 328

Ha, M.-K., 65
Hadavi, S.M.M., 385
Hambli, R., 302
Hamdi, H., 277
Hartely, P., 1
Hasan, M., 311
Hervy, L., 359
Hu, G., 229
Hu, K., 236
Hugele, D., 155

Imaninejad, M., 247
Ishikawa, T., 102

Jacobson, M., 181
Jaisingh, A., 321
James, R.D., 38
Jamshidi, M.S., 385
Jansen, J.P., 155
Joshi, S.S., 131
Joti, A., 23

Kang, C.G., 10, 45
Kaplan, D., 155
Kashyap, B.P., 94
Kaymaz, I., 60
Keavey, M.A., 111
Khalid, F.A., 145
Khan, O., 255
Kim, H., 79
Kim, K.-H., 191
Kim, S.-Y., 211
Kim, T.-B., 191
Kim, W.-B., 377
Kulekci, M.K., 389
Kwak, J.-S., 65
Kwon, O.-Y., 191
Kwon, Y., 102

Lam, Y.C., 268, 370
Lee, D., 397
Lee, D.H., 45
Lee, J., 102
Lee, S.-J., 377
Lee, T.C., 286
Lee, W.-S., 211
Lee, Y., 102
Levaillant, C., 145
Li, F., 236
Li, J., 236, 328
Lim, T., 121
Liu, W., 167
Loukus, A., 247
Lu, F., 90
Lu, L., 90
Lu, S.-P., 191

Ma, X., 217
Mahmudi, R., 185
Maiti, S.K., 321
Marti, K., 204
Martínez-Frías, J., 204
Medina, E.A., 292
Min, B.-K., 377
Mitra, S., 241
Mkadem, A., 302
Mohammadi, R., 185
Murty, P., 121

Nageswara Rao, B., 94
Naji Meidani, A.R., 311
Narasimhan, K., 321
Narayana Murty, S.V.S., 94
Ning, G., 167

Ojha, S.N., 174
Ozturk, F., 397

Park, S.-J., 377
Pillinger, I., 1
Potiron, A., 302

Ranatunga, V., 292
Rao, P.K., 131
Raoult, F., 23
Raymond, S.D., 28
Ren, X.J., 38
Ribeiro, S., 336
Rosenband, V., 197

Sadeler, R., 60
Sarkar, S., 241
Schneider, A., 174
Seker, U., 389
Seo, P.K., 45
Seo, Y.-J., 211
Sepehrband, P., 185
Sharghi-Moshtaghin, R., 343
Sheikh, A.K., 255
Shi, Y., 328
Singh, U.P., 321
Smith, L.M., 121
Srivastava, V.C., 174
Stöver, D., 85
Šturm, R., 351
Subhash, G., 247
Sun, J., 229
Sun, Y., 328

Taguchi, S.P., 336
Tan, M.J., 139, 163
Tang, C.Y., 286

Elsevier B.V.
doi:10.1016/S0924-0136(04)00283-3

Tao, J., 111
Tenaud, Ph., 72
Thiruvarudchelvan, S., 139, 163
Thomson, P.F., 268, 370
Tietz, F., 85
Totik, Y., 60
Toussaint, F., 72

Uhlenwinkel, V., 174

Wang, L., 38
Wang, Z., 90
Wessel, E., 85
Wild, P.M., 28
Wilson, G., 204
Wu, J., 229

Yang, L., 167
Yang, Q.X., 38
Youn, S.W., 10

Zahouani, H., 277
Zhang, J., 229
Zhang, Z., 90
Zhao, G., 217
Zhao, X., 217
Zhong, M., 167

ELSEVIER

Journal of Materials Processing Technology 147 (2004) 407–412

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 147

γ'
The influence of thermal exposure on the γ' precipitates characteristics and tensile behavior of superalloy IN-738LC, 343
AA6082 tubes
Experimental and numerical investigation of free-bulge formation during hydroforming of aluminum extrusions, 247
ABAQUS
Analysis of forming limits using ductile fracture criteria, 397
Abrasive waterjet applications
Effect of feed rate on surface roughness in abrasive waterjet cutting applications, 389
Acoustic emission signals
Neural network approach for diagnosis of grinding operation by acoustic emission and power signals, 65
Aging
The influence of thermal exposure on the γ' precipitates characteristics and tensile behavior of superalloy IN-738LC, 343
Air bending
Finite element damage modeling in bending processes, 302
Al
Preparation of Ni/Al_2O_3 nanocomposite powder by high-energy ball milling and subsequent heat treatment, 236
AlN ceramics
Activation of combustion synthesis of aluminum nitride powder, 197
Al_2O_3
Preparation of Ni/Al_2O_3 nanocomposite powder by high-energy ball milling and subsequent heat treatment, 236
Aluminum alloy
The effect of homogenisation treatment on cold deformations of AA 2014 and AA 6063 alloys, 60
Determination of tearing energy from uniaxial tension tests of aluminum alloy sheet, 185
Anisotropic shrinkage
Experimental and numerical analysis of the deformation of ferrite segments during sintering, 72

Ball-on-disk wear
Microstructure and wear property of Fe–Mn–Cr–Mo–V alloy cladding by submerged arc welding, 191
Beams
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part II. Experimental validation and application, 268
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part I. Computational model, 370
Bubble dynamics
A study of hydrogen bubble growth during ultrasonic degassing of Al–Cu alloy melts, 311
Burr height
Mathematical modeling for controlled electrochemical deburring (ECD), 241
Burst pressure
Finite element modeling of the tubular hydroforming process. Part 1. Strain rate-independent material model assumption, 121

Ceramics
The effects of shock activation on sintering Si_3N_4 ceramics, 90
Charpy toughness test
Evaluation of pipeline laser girth weld properties by Charpy (V) toughness and impact tensile tests, 155
Chemical composition
Analysis and chemical composition of larnite-rich ultrarefractory materials, 204
Chemical vapor deposition (CVD)
Prevention of plasma-induced damage during HDP–CVD deposition, 211
Chip formation
Machining aspects of a high carbon Fe_3Al alloy, 131
Closed-die forging
A volume-based mapping method for parameter estimation in multi-stage material processing, 292
Cold deformation
The effect of homogenisation treatment on cold deformations of AA 2014 and AA 6063 alloys, 60
Cold forging
Modeling approach to estimate the elastic characteristics of workpiece and shrink-fitted die for cold forging, 102
Cold rolling
Roll deformation and stress distribution under thermo-mechanical loading in cold rolling, 255
Cold workability
Improved ductile fracture criterion for cold forming of spheroidised steel, 94
Collars
Collar drawing using a urethane pad, 139
Collimation component
Laser direct manufacturing of tungsten nickel collimation component, 167
Composite powder
Preparation of Ni/Al_2O_3 nanocomposite powder by high-energy ball milling and subsequent heat treatment, 236
Computation
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part I. Computational model, 370
Convergence analysis
Finite element modeling of the tubular hydroforming process. Part 1. Strain rate-independent material model assumption, 121
CRF
The development of real time re-meshing technique for simulating cold-roll-forming using FE methods, 1
Cu–Ni–Si Alloy
Age-hardening characteristics of Cu–2.4Ni–0.6Si alloy produced by the spray forming process, 174

Elsevier B.V.
doi:10.1016/S0924-0136(04)00284-5

Cup wall
The drawing of conical cups using an annular urethane pad, 163
Cutting depth
The influence of rake angle, cutting feed and cutting depth on residual stresses in hard turning, 181
Cutting feed
The influence of rake angle, cutting feed and cutting depth on residual stresses in hard turning, 181
Cutting temperature
Cutting temperatures in hard turning chromium hardfacings with PCBN tooling, 38

Damage modeling
Finite element damage modeling in bending processes, 302
Deburring
Mathematical modeling for controlled electrochemical deburring (ECD), 241
Deep drawing process
Sensitivity analysis of a deep drawing process for miniaturized products, 321
Deflection
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part II. Experimental validation and application, 268
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part I. Computational model, 370
Deformation behaviour
Deformation and fracture behaviour of high manganese austenitic steel, 145
Diagnosis of grinding operation
Neural network approach for diagnosis of grinding operation by acoustic emission and power signals, 65
Die design
Influence of design and process parameters on service life of nut hot forging die, 359
Dielectrophoresis
Surface finishing technique for small parts using dielectrophoretic effects of abrasive particles, 377
Dilatometry
Experimental and numerical analysis of the deformation of ferrite segments during sintering, 72
Dislocations
The effects of shock activation on sintering Si_3N_4 ceramics, 90
Dissimilar thickness
Peel and shear strength of spot-welded and weld-bonded dissimilar thickness joints, 51
Ductile fracture criteria
Improved ductile fracture criterion for cold forming of spheroidised steel, 94
Analysis of forming limits using ductile fracture criteria, 397
DYNA2D
Plane strain formability analysis of automotive body structures using DYNA2D, 79

Effective failure strain
Improved ductile fracture criterion for cold forming of spheroidised steel, 94
Elastic deformation
Modeling approach to estimate the elastic characteristics of workpiece and shrink-fitted die for cold forging, 102
Electrical conductivity
Age-hardening characteristics of Cu–2.4Ni–0.6Si alloy produced by the spray forming process, 174
Electrochemical deburring
Mathematical modeling for controlled electrochemical deburring (ECD), 241
Electromagnetic stirring
Mechanical properties of particulate reinforced metal matrix composites by electromagnetic and mechanical stirring and reheating process for thixoforming, 10

FEM
Modeling approach to estimate the elastic characteristics of workpiece and shrink-fitted die for cold forging, 102
FEM analysis
Sensitivity analysis of a deep drawing process for miniaturized products, 321
Ferrite
Experimental and numerical analysis of the deformation of ferrite segments during sintering, 72
Finite element
The development of real time re-meshing technique for simulating cold-roll-forming using FE methods, 1
Peel and shear strength of spot-welded and weld-bonded dissimilar thickness joints, 51
Finite element simulation for superplastic forming using a non-Newtonian viscous thick section element, 111
Finite element modeling of the tubular hydroforming process. Part 1. Strain rate-independent material model assumption, 121
Experimental and numerical investigation of free-bulge formation during hydroforming of aluminum extrusions, 247
Finite element damage modeling in bending processes, 302
Analysis of forming limits using ductile fracture criteria, 397
Finite element analysis
On modeling of the weld line in finite element analyses of tailor-welded blank forming operations, 28
Cutting temperatures in hard turning chromium hardfacings with PCBN tooling, 38
Plane strain formability analysis of automotive body structures using DYNA2D, 79
Finite element method
Studies on characteristics of temperature field during GTAW with a trailing heat sink for titanium sheet, 328
Flange
Collar drawing using a urethane pad, 139
Forging process
Studies on optimization of metal forming processes using sensitivity analysis methods, 217
Formability evaluation technique
Plane strain formability analysis of automotive body structures using DYNA2D, 79
Forming limit diagram
Analysis of forming limits using ductile fracture criteria, 397
Forming limits
Experimental and numerical investigation of free-bulge formation during hydroforming of aluminum extrusions, 247
Forming process sensitivity
Sensitivity analysis of a deep drawing process for miniaturized products, 321
Fracture
Deformation and fracture behaviour of high manganese austenitic steel, 145
Free surface
Die design by filling analysis of semi-solid injection forging process and their experimental investigation, 45
Friction-actuated blank-holding technique
The drawing of conical cups using an annular urethane pad, 163
Fuel cells
Interface reactions during co-firing of solid oxide fuel cell components, 85

Gassy liquid
A study of hydrogen bubble growth during ultrasonic degassing of Al–Cu alloy melts, 311

Gating system
Die design by filling analysis of semi-solid injection forging process and their experimental investigation, 45
Grinding process
Residual stresses computation in a grinding process, 277
GTAW
Studies on characteristics of temperature field during GTAW with a trailing heat sink for titanium sheet, 328

Hard chromium electroplating
The effect of thermal fatigue on the hardness of hard chromium electroplatings, 385
Hard turning
Cutting temperatures in hard turning chromium hardfacings with PCBN tooling, 38
The influence of rake angle, cutting feed and cutting depth on residual stresses in hard turning, 181
Hardfacing
Cutting temperatures in hard turning chromium hardfacings with PCBN tooling, 38
Hardness
The effect of thermal fatigue on the hardness of hard chromium electroplatings, 385
HAZ
Evaluation of pipeline laser girth weld properties by Charpy (V) toughness and impact tensile tests, 155
Heat sink
Studies on characteristics of temperature field during GTAW with a trailing heat sink for titanium sheet, 328
Heat treatment
Preparation of Ni/Al_2O_3 nanocomposite powder by high-energy ball milling and subsequent heat treatment, 236
High-density plasma (HDP)
Prevention of plasma-induced damage during HDP–CVD deposition, 211
High-energy ball milling
Preparation of Ni/Al_2O_3 nanocomposite powder by high-energy ball milling and subsequent heat treatment, 236
Homogenisation treatments
The effect of homogenisation treatment on cold deformations of AA 2014 and AA 6063 alloys, 60
Hot-rolling
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part II. Experimental validation and application, 268
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part I. Computational model, 370
Hydro abrasive machining
Effect of feed rate on surface roughness in abrasive waterjet cutting applications, 389
Hydroforming
Experimental and numerical investigation of free-bulge formation during hydroforming of aluminum extrusions, 247
Hydrogen bubble
A study of hydrogen bubble growth during ultrasonic degassing of Al–Cu alloy melts, 311

Impact tensile testing
Evaluation of pipeline laser girth weld properties by Charpy (V) toughness and impact tensile tests, 155
Inductively coupled plasma (ICP)
Prevention of plasma-induced damage during HDP–CVD deposition, 211
Iron aluminides
Machining aspects of a high carbon Fe_3Al alloy, 131

Ladding
Microstructure and wear property of Fe–Mn–Cr–Mo–V alloy cladding by submerged arc welding, 191
Larnite
Analysis and chemical composition of larnite-rich ultrarefractory materials, 204
Laser direct manufacturing
Laser direct manufacturing of tungsten nickel collimation component, 167
Laser surface remelting
A new experimental technique for measuring strain and residual stresses during a laser remelting process, 351
Laser welding
Evaluation of pipeline laser girth weld properties by Charpy (V) toughness and impact tensile tests, 155
Light alloy
A study of hydrogen bubble growth during ultrasonic degassing of Al–Cu alloy melts, 311
Low and high contraction chromium
The effect of thermal fatigue on the hardness of hard chromium electroplatings, 385
LPCVD
Study of the breakdown voltage in lateral polysilicon N^+P junctions, 23

Machining
Machining aspects of a high carbon Fe_3Al alloy, 131
Maslennikov's technique
Collar drawing using a urethane pad, 139
Material processing
A volume-based mapping method for parameter estimation in multi-stage material processing, 292
Material properties
Experimental and numerical investigation of free-bulge formation during hydroforming of aluminum extrusions, 247
Mean stress
Improved ductile fracture criterion for cold forming of spheroidised steel, 94
Measurement
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part II. Experimental validation and application, 268
Mechanical milling
Effect of different processing on the microstructure and mechanical properties of $Al_{67}Mn_8Ti_{24}Nb_1$ alloy, 229
Mechanical properties
The effects of shock activation on sintering Si_3N_4 ceramics, 90
Metal forming
Improved ductile fracture criterion for cold forming of spheroidised steel, 94
Metallurgical phenomena
Residual stresses computation in a grinding process, 277
Meteorite
Analysis and chemical composition of larnite-rich ultrarefractory materials, 204
Microstructural changes
The drawing of conical cups using an annular urethane pad, 163
Microstructural features
Age-hardening characteristics of Cu–2.4Ni–0.6Si alloy produced by the spray forming process, 174
Microstructure
Deformation and fracture behaviour of high manganese austenitic steel, 145
Microstructure and wear property of Fe–Mn–Cr–Mo–V alloy cladding by submerged arc welding, 191
Effect of different processing on the microstructure and mechanical properties of $Al_{67}Mn_8Ti_{24}Nb_1$ alloy, 229

A new experimental technique for measuring strain and residual stresses during a laser remelting process, 351
Mixed element
Simulation of strain localization in metal forming processes using bilinear mixed *u/p* elements, 286

Neural network
Neural network approach for diagnosis of grinding operation by acoustic emission and power signals, 65
Ni
Preparation of Ni/Al_2O_3 nanocomposite powder by high-energy ball milling and subsequent heat treatment, 236
32NiCrMo145 steel
The effect of thermal fatigue on the hardness of hard chromium electroplatings, 385
Non-uniform electric field
Surface finishing technique for small parts using dielectrophoretic effects of abrasive particles, 377
Numerical simulation
Experimental and numerical analysis of the deformation of ferrite segments during sintering, 72
Residual stresses computation in a grinding process, 277
Influence of design and process parameters on service life of nut hot forging die, 359
Nut hot forging
Influence of design and process parameters on service life of nut hot forging die, 359

Optimization
Studies on optimization of metal forming processes using sensitivity analysis methods, 217
Out-of-plane
Analysis of forming limits using ductile fracture criteria, 397
Oxidation
Silicon nitride oxidation behaviour at 1000 and 1200 °C, 336

Particle electromechanics
Surface finishing technique for small parts using dielectrophoretic effects of abrasive particles, 377
PCBN
Cutting temperatures in hard turning chromium hardfacings with PCBN tooling, 38
Pipeline steel
Evaluation of pipeline laser girth weld properties by Charpy (V) toughness and impact tensile tests, 155
Plasma-induced damage
Prevention of plasma-induced damage during HDP–CVD deposition, 211
Polarization
Surface finishing technique for small parts using dielectrophoretic effects of abrasive particles, 377
Polysilicon films
Study of the breakdown voltage in lateral polysilicon N^+P junctions, 23
Polysilicon N^+P junctions
Study of the breakdown voltage in lateral polysilicon N^+P junctions, 23
Porosity
Interface reactions during co-firing of solid oxide fuel cell components, 85
Power signals
Neural network approach for diagnosis of grinding operation by acoustic emission and power signals, 65
Precipitation
Age-hardening characteristics of Cu–2.4Ni–0.6Si alloy produced by the spray forming process, 174
Preform design
Studies on optimization of metal forming processes using sensitivity analysis methods, 217

Rake angle
The influence of rake angle, cutting feed and cutting depth on residual stresses in hard turning, 181
Rectified diffusion
A study of hydrogen bubble growth during ultrasonic degassing of Al–Cu alloy melts, 311
Reheating
Mechanical properties of particulate reinforced metal matrix composites by electromagnetic and mechanical stirring and reheating process for thixoforming, 10
Re-meshing
The development of real time re-meshing technique for simulating cold-roll-forming using FE methods, 1
Remote thermocouple
Cutting temperatures in hard turning chromium hardfacings with PCBN tooling, 38
Residual stress
The influence of rake angle, cutting feed and cutting depth on residual stresses in hard turning, 181
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part II. Experimental validation and application, 268
Residual stresses computation in a grinding process, 277
A new experimental technique for measuring strain and residual stresses during a laser remelting process, 351
Prediction of the deflection and residual stress in controlled cooling of hot-rolled steel beams including load and arbitrary support. Part I. Computational model, 370
Rheology flow model
Die design by filling analysis of semi-solid injection forging process and their experimental investigation, 45
Roll deformation
Roll deformation and stress distribution under thermo-mechanical loading in cold rolling, 255
Roll pressure
Roll deformation and stress distribution under thermo-mechanical loading in cold rolling, 255
Roll stress
Roll deformation and stress distribution under thermo-mechanical loading in cold rolling, 255
Roll temperature
Roll deformation and stress distribution under thermo-mechanical loading in cold rolling, 255

Self-propagating high-temperature synthesis
Activation of combustion synthesis of aluminum nitride powder, 197
Semi-solid injection forging
Die design by filling analysis of semi-solid injection forging process and their experimental investigation, 45
Sensitivity analysis
Finite element modeling of the tubular hydroforming process. Part 1. Strain rate-independent material model assumption, 121
Studies on optimization of metal forming processes using sensitivity analysis methods, 217
Shell elements
Finite element simulation for superplastic forming using a non-Newtonian viscous thick section element, 111
Shock activation
The effects of shock activation on sintering Si_3N_4 ceramics, 90
Shrink fitting
Modeling approach to estimate the elastic characteristics of workpiece and shrink-fitted die for cold forging, 102

Influence of design and process parameters on service life of nut hot forging die, 359
Silicon nitride
The effects of shock activation on sintering Si_3N_4 ceramics, 90
Silicon nitride oxidation behaviour at 1000 and 1200 °C, 336
Simulation
Finite element simulation for superplastic forming using a non-Newtonian viscous thick section element, 111
Finite element modeling of the tubular hydroforming process. Part 1. Strain rate-independent material model assumption, 121
Sintering
Experimental and numerical analysis of the deformation of ferrite segments during sintering, 72
Interface reactions during co-firing of solid oxide fuel cell components, 85
Silicon nitride oxidation behaviour at 1000 and 1200 °C, 336
Solid fraction
Mechanical properties of particulate reinforced metal matrix composites by electromagnetic and mechanical stirring and reheating process for thixoforming, 10
Solidification
Die design by filling analysis of semi-solid injection forging process and their experimental investigation, 45
Spheroidised steel
Improved ductile fracture criterion for cold forming of spheroidised steel, 94
Spot welding
Peel and shear strength of spot-welded and weld-bonded dissimilar thickness joints, 51
Spray forming
Age-hardening characteristics of Cu–2.4Ni–0.6Si alloy produced by the spray forming process, 174
Effect of different processing on the microstructure and mechanical properties of $Al_{67}Mn_8Ti_{24}Nb_1$ alloy, 229
Standards
Analysis and chemical composition of larnite-rich ultrarefractory materials, 204
Stoody alloy
Microstructure and wear property of Fe–Mn–Cr–Mo–V alloy cladding by submerged arc welding, 191
Strain
A new experimental technique for measuring strain and residual stresses during a laser remelting process, 351
Strain gage
Modeling approach to estimate the elastic characteristics of workpiece and shrink-fitted die for cold forging, 102
Strain hardening
Deformation and fracture behaviour of high manganese austenitic steel, 145
Strain localization
Simulation of strain localization in metal forming processes using bilinear mixed *u/p* elements, 286
Strain rate
Finite element modeling of the tubular hydroforming process. Part 1. Strain rate-independent material model assumption, 121
Strain rate and temperature
Deformation and fracture behaviour of high manganese austenitic steel, 145
Stress concentration
Peel and shear strength of spot-welded and weld-bonded dissimilar thickness joints, 51
Superalloy IN-738LC
The influence of thermal exposure on the γ' precipitates characteristics and tensile behavior of superalloy IN-738LC, 343
Superplastic forming
Finite element simulation for superplastic forming using a non-Newtonian viscous thick section element, 111
Surface finishing process
Surface finishing technique for small parts using dielectrophoretic effects of abrasive particles, 377
Suspension
Interface reactions during co-firing of solid oxide fuel cell components, 85

Tailor-welded blank forming test
On modeling of the weld line in finite element analyses of tailor-welded blank forming operations, 28
Tearing energy
Determination of tearing energy from uniaxial tension tests of aluminum alloy sheet, 185
Temperature field
Studies on characteristics of temperature field during GTAW with a trailing heat sink for titanium sheet, 328
Tensile test
Determination of tearing energy from uniaxial tension tests of aluminum alloy sheet, 185
Thermal aspects
Residual stresses computation in a grinding process, 277
Thermal cycles
The effect of thermal fatigue on the hardness of hard chromium electroplatings, 385
Thermal fatigue
The effect of thermal fatigue on the hardness of hard chromium electroplatings, 385
Thermo-mechanical load
Roll deformation and stress distribution under thermo-mechanical loading in cold rolling, 255
Thickness thinning
Analysis of forming limits using ductile fracture criteria, 397
Thixoforming
Mechanical properties of particulate reinforced metal matrix composites by electromagnetic and mechanical stirring and reheating process for thixoforming, 10
Three step reheating
Die design by filling analysis of semi-solid injection forging process and their experimental investigation, 45
Titanium alloy
Studies on characteristics of temperature field during GTAW with a trailing heat sink for titanium sheet, 328
Tool
Modeling approach to estimate the elastic characteristics of workpiece and shrink-fitted die for cold forging, 102
Tool-life testing
Machining aspects of a high carbon Fe_3Al alloy, 131
Trialuminides
Effect of different processing on the microstructure and mechanical properties of $Al_{67}Mn_8Ti_{24}Nb_1$ alloy, 229
Truesdell stress rate
Simulation of strain localization in metal forming processes using bilinear mixed *u/p* elements, 286
Tubular hydroforming
Finite element modeling of the tubular hydroforming process. Part 1. Strain rate-independent material model assumption, 121
Twins and dislocations
Deformation and fracture behaviour of high manganese austenitic steel, 145

Ultrasonic degassing
A study of hydrogen bubble growth during ultrasonic degassing of Al–Cu alloy melts, 311

Viscous flow
Finite element simulation for superplastic forming using a non-Newtonian viscous thick section element, 111

Volume mapping
A volume-based mapping method for parameter estimation in multi-stage material processing, 292

W/Ni alloy
Laser direct manufacturing of tungsten nickel collimation component, 167
Waterjet technology
Effect of feed rate on surface roughness in abrasive waterjet cutting applications, 389
Weld property
On modeling of the weld line in finite element analyses of tailor-welded blank forming operations, 28
Weld-bonding
Peel and shear strength of spot-welded and weld-bonded dissimilar thickness joints, 51
WZ
Evaluation of pipeline laser girth weld properties by Charpy (V) toughness and impact tensile tests, 155

X-ray fluorescence
Analysis and chemical composition of larnite-rich ultrarefractory materials, 204

Yield stress
The influence of thermal exposure on the γ' precipitates characteristics and tensile behavior of superalloy IN-738LC, 343
YSZ (yttria stabilized zirconia)
Interface reactions during co-firing of solid oxide fuel cell components, 85
Yttrium disilicate
Silicon nitride oxidation behaviour at 1000 and 1200 °C, 336